

# CARDIOVASCULAR RESEARCH

EDITOR

R. J. LINDEN

ASSISTANT EDITORS

C. T. KAPPAGODA, M. I. M. NOBLE

A. M. BARRETT

D. H. BERGEL

M. V. BRAIMBRIDGE

D. L. BRUTSAERT

B. FOLKOW

A. D. M. GREENFIELD

D. M. KRIKLER

T. D. V. LAWRIE

P. W. MACFARLANE

A. MASERI

C. MILLS

W. G. NAYLER

P. SLEIGHT

M. THOMAS

E. M. VAUGHAN WILLIAMS

EDITOR *British Heart Journal*

EDITOR *British Medical Journal*

TECHNICAL EDITOR ANITA HESS

---

VOLUME 10, 1976

---

LONDON · BRITISH MEDICAL ASSOCIATION · TAVISTOCK SQUARE W.C.1

# RAJESWARAN CHANDRAN

1980-1981

1982-1983

1984-1985

1986-1987

1988-1989

1990-1991

# CONTENTS

## No. 1. JANUARY, 1976

<b>Contrasting pulmonary blood flow profiles in children with atrial and ventricular septal defects:</b> Carol L. Lucas, Benson R. Wilcox, and Norman A. Coulter, Jr . . . . .	1
<b>Mathematical formulation of post-occlusion hyperaemia and autoregulation of blood flow in the capillaron model:</b> Hiroshi Murao and Simon Rodbard . . . . .	13
<b>Electrophysiological effects of ajmaline in isolated cardiac tissue:</b> Kanji Obayashi and William J. Mandel . . . . .	20
<b>Effects of practolol on exercise tolerance, cardiac haemodynamics, and metabolism in patients with coronary artery disease:</b> Gilles R. Dagenais, André Moisan, Yves Marquis, Richard O. Davies, and Serge Blouin . . . . .	25
<b>Pulmonary valve incompetence. I. Evaluation using electromagnetic flow velocity catheters and a new valve insufficiency analyser:</b> F. van der Mark, J. Rohmer, and W. G. Zijlstra . . . . .	37
<b>Pulmonary valve incompetence. II. Application of electromagnetic flow velocity catheters in children:</b> J. Rohmer, F. van der Mark, and W. G. Zijlstra . . . . .	46
<b>Effect of intramyocardial pressure on the phasic flow in the intraventricular septal artery:</b> Thomas E. Carew and James W. Covell . . . . .	56
<b>The accuracy of cardiac function indices derived from ultrasonic time-position scans:</b> D. H. Evans, W. N. McDicken, and D. A. R. Robertson . . . . .	65
<b>Effects of intra-arterial ethanol in cardiogenic shock:</b> Clayton H. Shatney, Ronald H. Dietzman, and Richard C. Lillehei . . . . .	74
<b>Distribution of coronary collateral flow in acute myocardial ischaemic injury: effect of propranolol:</b> Robert A. Kloner, Keith A. Reimer, and Robert B. Jennings . . . . .	81
<b>Selective versus non-selective His bundle pacing:</b> David O. Williams, Benjamin J. Scherlag, Ronald R. Hope, Nabil El-Sherif, Ralph Lazzara, and Philip Samet . . . . .	91
<b>Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys (<i>Macaca fascicularis</i>):</b> M. R. Malinow, P. McLaughlin, D. S. Dhindsa, J. Metcalfe, A. J. Ochsner III, J. Hill, and W. P. McNulty . . . . .	101
<b>Influence of frequency of atrial contraction on coronary blood flow and ventricular performance in the conscious dog with myocardial infarction:</b> Ian Hutton, Melvin Platt, John Watson, Gordon Templeton, and James Willerson . . . . .	109
<b>Effects of drugs on the negative (backflow) component of velocity patterns in the dog aorta:</b> Peter A. Kot and John C. Rose . . . . .	119
<b>Augmented right ventricular function in systemic hypertension-induced hypertrophy:</b> Peter E. Pool, William J. Piggott, Shirley C. Seagren, and C. Lynn Skelton . . . . .	124
<b>Biochemical and morphological correlates of cardiac ischaemia: contractile proteins:</b> Y. Surendranath Reddy, Leigh Wyborny, Robert M. Lewis, and Arnold Schwartz . . . . .	129
<b>A note on the phase-plane technique representation of cardiac action potentials:</b> Evert L. de Beer, Herman B. K. Boom and Henk C. Schamhardt . . . . .	136

## No. 2. MARCH, 1976

<b>Editorial . . . . .</b>	139
<b>The use of SI units in cardiovascular studies:</b> C. T. Kappagoda and R. J. Linden . . . . .	141

<b>Effects of furosemide and chlorothiazide on blood pressure and plasma renin activity:</b> Ikua Saito, Jiro Misumi, Kazuoki Kondo, Takao Saruta, and Shun Matsuki . . . . .	149
<b>Increase of intravascular blood volume in ischaemic heart disease:</b> G. Gábor, M. Istvanffy, and M. Halmagyi . . . . .	153
<b>Right atrial monophasic action potential and effective refractory periods in relation to physical training and maximum heart rate:</b> L. Brorson, T. B. Conradson, B. Olsson, and E. Varnauskas . . . . .	160
<b>Effect of isoprenaline and nitroglycerine on pressure time indices and coronary graft blood flow in man:</b> R. Donaldson, A. F. Rickards, J. E. C. Wright, B. T. Williams, D. Russell, and R. Balcon . . . . .	169
<b>Dopamine <math>\beta</math>-hydroxylase release during hypertension from sympathetic nervous over-activity in man:</b> C. J. Mathias, A. D. Smith, H. L. Frankel, and J. M. K. Spalding . . . . .	176
<b>Effect of nitroglycerin with and without systemic hypotension on canine regional myocardial tritiated water deposition:</b> Norman F. Paradise, Michael R. Tripp, Howard B. Burchell, Dale A. Gerasch, Claude R. Swayze, and Irwin J. Fox . . . . .	182
<b>Cardiovascular reflex responses to apnoeic face immersion and mental stress in diabetic subjects:</b> T. Bennett, D. J. Hosking, and J. R. Hampton . . . . .	192
<b>Effects of phenobarbitone, cinnarizine, and zoxazolamine on the development of right ventricular hypertrophy and hypertensive pulmonary vascular disease in rats treated with monocrotaline:</b> J. M. Kay, P. Smith, D. Heath, and J. A. Will . . . . .	200
<b>Venous pressure-volume relation and calf blood flow determined by changes in posture:</b> G. J. Barendsen and J. van den Berg . . . . .	206
<b>Effects of angiographic contrast media on sino-atrial nodal function:</b> Carl W. White, Dwain L. Eckberg, Tohru Inasaka, and Francois M. Abboud . . . . .	214
<b>Effect of heart rate on regional coronary blood flow:</b> Raul J. Domenech and Jaime Goich . . . . .	224
<b>The renin-angiotensin system, dietary salt, and increased sensitivity to noradrenaline in mesenteric vasculature preparations from renal/salt hypertensive rats:</b> M. G. Collis and B. J. Alps . . . . .	232
<b>Intracellular electrophysiological alterations in canine cardiac conducting tissue induced by aprindine and lignocaine:</b> Mitchell I. Steinberg and Kalman Greenspan . . . . .	236
<b>Effect of reperfusion on myocardial infarct, and the accuracy of estimating infarct size from serum creatine phosphokinase in the dog:</b> Jay M. Jarmakani, Lee Limbird, Thomas C. Graham, and Richard A. Marks . . . . .	245
<b>Biochemical changes associated with development and reversal of cardiac hypertrophy in spontaneously hypertensive rats:</b> Subha Sen, Robert C. Tarazi, and F. Merlin Bumpus . . . . .	254
<b>Early myocardial ischaemia: evaluation of the histochemical haematoxylin-basic fuchsin-picric acid (HBFP) staining technique:</b> J. Van Reempts, M. Borgers, and R. S. Reneman . . . . .	262
<b>Effects of hypertensive plasma on the responses of an isolated artery preparation to noradrenaline:</b> D. S. Bloom, M. G. Stein, and C. Rosendorff . . . . .	268

*No. 3. MAY, 1976*

<b>Acute changes in high energy phosphates, nucleotide derivatives, and contractile force in ischaemic and nonischaemic canine myocardium following coronary occlusion:</b> Carl E. Jones, John X. Thomas, James C. Parker, and Richard E. Parker . . . . .	275
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----

<b>Evaluation of single plane angiography for left ventricular volume in the intact dog:</b> Lamberto G. Bentivoglio, Angel J. Cuesta, Lee D. Griffith, and Maria Geczy . . . . .	283
<b>Renal vasoconstriction in naturally elicited fear and its habituation in baboons:</b> A. W. Zbrożyna . . . . .	295
<b>Hot film coronary artery velocity measurements in horses:</b> Robert M. Nerem, John A. Rumberger, Jr, David R. Gross, William W. Muir, and Gary L. Geiger . . . . .	301
<b>An excitatory nociceptive cardiac reflex elicited by bradykinin and potentiated by prostaglandins and myocardial ischaemia:</b> Janina Staszewska-Barczak, S. H. Ferreira, and J. R. Vane . . . . .	314
<b>Analog computer assisted beat-by-beat measurement of stroke volume and related variables in man:</b> Clive Layton, Keith Johnston, Anthony Selman, and Alastair McDonald . . . . .	328
<b>Effect of heart rate on zonal tension and ischaemia following coronary occlusion: optimal rate for Treppe versus ischaemia:</b> Monty M. Bodenheimer, Vidya S. Banka, and Richard H. Helfant . . . . .	336
<b>Effect of hypercapnia and hypocapnia on myocardial blood flow and performance in anaesthetized dogs:</b> Carl S. Alexander and Shean-Ming Liu . . . . .	341
<b>Effect of methylprednisolone sodium succinate on hypoxic heart muscle:</b> Winifred G. Nayler and R. Seabra-Gomes . . . . .	349
<b>Influence of training on myocardial responses of rats subjected to conditions of ischaemia and hypoxia:</b> Rita A. Carey, Charles M. Tipton, and Donald R. Lund . . . . .	359
<b>Transcutaneous measurement of blood flow velocity in the human aorta:</b> B. A. J. Angelsen and A. O. Brubakk . . . . .	368
<b>Influence of hyperthyroidism on glycerol-extracted cardiac muscle from rabbits:</b> C. Lynn Skelton, Judy Y. Su, and Peter E. Pool . . . . .	380
<b>Coronary occlusion before, during, and after strenuous exercise:</b> Peter L. Thompson and Bernard Lown . . . . .	385
<b>Tissue culture, protein and collagen synthesis in antibiotic sterilized canine heart valves:</b> C. G. A. McGregor, J. F. Bradley, J. O'D. McGee, and D. J. Wheatley . . . . .	389
<b>Viability in human heart valves prepared for grafting:</b> C. G. A. McGregor, J. F. Bradley, J. O'D. McGee, and D. J. Wheatley . . . . .	394
<i>Instruments and techniques</i>	
<b>Continuous imaging of regional myocardial blood flow in dogs using krypton-81m:</b> J. Harvey Turner, Andrew P. Selwyn, Terry Jones, Thomas R. Evans, Maurice J. Raphael, and J. Peter Lavender . . . . .	398

*No. 4. JULY, 1976*

<b>Observations on autoregulation in skeletal muscle: the effects of arterial hypoxia:</b> Gerald M. Pohost, John B. Newell, Nason P. Hamlin, and W. John Powell, Jr . . . . .	405
<b>Muscular work and the release of prostaglandin-like substances:</b> Krystyna Herbaczynska-Cedro, Janina Staszewska-Barczak, and Henryka Janczewska . . . . .	413
<b>Fibrin subunits in venous and arterial thromboembolism:</b> P. J. Gaffney, M. Brasher, K. Lord, C. J. L. Strachan, A. R. Wilkinson, V. V. Kakkar, and M. F. Scully . . . . .	421
<b>Effects of dichloroacetate on myocardial substrate extraction, epicardial ST-segment elevation, and ventricular blood flow following coronary occlusion in dogs:</b> O. D. Mjøs, N. E. Miller, R. A. Riemersma, and M. F. Oliver . . . . .	427

<b>Effects of hypertension on the static mechanical properties and chemical composition of the rat aorta:</b> C. L. Berry and S. E. Greenwald . . . . .	437
<b>Differential <math>\beta</math> adrenergic sensitivity of atrial and ventricular tissue assessed by chronotropic, inotropic, and cyclic AMP responses to isoprenaline and dobutamine:</b> Ronald R. Tuttle, Charles C. Hillman, and Richard E. Toomey . . . . .	452
<b>Low frequency dynamic viscoelastic properties of human mitral valve tissue:</b> Koon O. Lim and Derek R. Boughner . . . . .	459
<b>Time course of changes in ventricular fibrillation threshold in myocardial infarction: characteristics of acute and slow occlusion with respect to the collateral vessels of the heart:</b> W. Meesmann, H. Gülker, B. Krämer, and K. Stephan . . . . .	466
<b>Alterations of the Frank orthogonal scalar leads induced by anaphylactic shock in the rabbit:</b> J. Boland, J. Troquet, and J. P. Bleus . . . . .	474
<b>Innervation and responses to vasoactive drugs of the extrinsic uterine artery of the macaque:</b> Christopher Bell . . . . .	482
<b>Influence of myocardial mechanical activity and coronary blood flow on myocardial digoxin uptake:</b> Brian L. Lloyd and Roger R. Taylor . . . . .	487

*Instruments and techniques*

<b>Simultaneous measurement of cardiac output and its distribution with microspheres in the rat:</b> Denis G. McDevitt and Alan S. Nies . . . . .	494
<b>Measurement of regional myocardial blood flow in dogs using a catheter semiconductor radiation detector:</b> Yasuhito Sasaki and Bertram Pitt . . . . .	499

*No. 5. SEPTEMBER, 1976*

<b>Reduction of pulsatile hydraulic power in the pulmonary circulation caused by moderate vasoconstriction:</b> Hroar Piene and Anton Hauge . . . . .	503
<b>Influence of long-term treatment with dipyridamole on the aorta-stenosed rabbit heart: morphometric and functional investigations:</b> K.-E. Blass, G. Triebe, F. Traub, and W. Förster . . . . .	514
<b>Myocardial contractile reserve and indices of contractility:</b> Augusto H. Moreno, Enrique A. Bonfils-Roberts, John A. Steen, and Reddy V. Reddy . . . . .	524
<b>Influence of procainamide on sodium and potassium exchange and permeabilities in cultured human cells:</b> David McCall . . . . .	537
<b>Progressive reduction in norepinephrine overflow during cardiac sympathetic nerve stimulation in the anaesthetized dog:</b> Matthew N. Levy and Benjamin Blattberg . . . . .	549
<b>On-line computation of cardiac output with the thermodilution method, using a digital minicomputer:</b> L. H. Snoeckx, J. L. Verheyen, A. Van de Water, P. Lewi, and R. S. Reneman . . . . .	556
<b>Reflection in the systemic arterial system: effects of aortic and carotid occlusion:</b> G. C. van den Bos, N. Westerhof, G. Elzinga, and P. Sipkema . . . . .	565
<b>Effect of ischaemia on overdrive suppression in isolated, blood-perfused atrial preparations of dogs:</b> Shigetoshi Chiba, Tony W. Simmons, Matthew N. Levy, and Harrison A. Zieske . . . . .	574
<b>Controls of ventricular contractility assessed by pressure-volume ratio, <math>E_{max}</math>:</b> Hiroyuki Suga, Kiichi Sagawa, and David P. Kostiuik . . . . .	582
<b>Concerning the independence of the basis of hypertension due to ACTH or renovascular constriction:</b> A. A. Shulkes, J. P. Coghlan, D. A. Denton, J. S. K. Fan, and B. A. Scoggins . . . . .	593



<b>Protective effect of hyperbaric oxygen for the temporary ischaemic myocardium. Macroscopic and histological data:</b> Mitsuo Kawamura, Kinsaku Sakakibara, Bunsaku Sakakibara, Hitoshi Kidokoro, Hideyo Takahashi, Shigeo Kobayashi, Shinichiro Konishi, and Yutaka Uno . . . . .	599
<b>Physiological disposition of verapamil in man:</b> Michael Schomerus, Berthold Spiegelhalder, Barbara Stieren, and Michel Eichelbaum . . . . .	605

*No. 6. NOVEMBER, 1976*

<b>Effect of chagasic sera on the rat isolated atrial preparation: immunological, morphological and functional aspects:</b> Leonor Sterin-Borda, Patricio M. Cossio, Martha F. Gimeno, Alvaro L. Gimeno, Carlos Diez, Ruben P. Laguens, Patricia Cabeza Meckert, and Roberto M. Arana . . . . .	613
<b>Cardiovascular action of verapamil in the dog with particular reference to myocardial contractility and atrioventricular conduction:</b> J. A. Angus, D. R. Richmond, P. Dhumma-Upakorn, L. B. Cobbin, and A. H. Goodman . . . . .	623
<b>Effect of digitoxin on cardiac hypertrophy induced by pericardiectomy and exercise:</b> Jon Cooksey, Karen Schanuel, and Howard Bomze . . . . .	633
<b>Myocardial sarcolemmal ATPase in dogs with induced mitral insufficiency:</b> J. C. Khatter and K. Prasad . . . . .	637
<b>Myocardial oxygen consumption after major coronary artery occlusion in anaesthetized dogs with constant left ventricular workload:</b> Alexandros C. Kralios, Theofilos J. Tsagaris, and Hiroshi Kuida . . . . .	642
<b>A protective effect of verapamil on hypoxic heart muscle:</b> Winifred G. Nayler, Aleyda Grau, and A. Slade . . . . .	650
<b>Immediate hypotensive after-effects of posterior hypothalamic lesions in awake rats with spontaneous, renal, or Doca hypertension:</b> Ruben D. Buñag and Adegio E. Eferakeya . . . . .	663
<b>Influence of inflation and atelectasis on the hypoxic pressor response in isolated dog lung lobes:</b> Edward J. Quebbeman and Christopher A. Dawson . . . . .	672
<b>Persistence of myocardial injury following brief periods of coronary occlusion:</b> Jerold M. Weiner, Carl S. Apstein, John H. Arthur, Farouk A. Pirzada, and William B. Hood, Jr . . . . .	678
<b>Effect of lignocaine on intramyocardial conduction in nonischaemic and ischaemic canine myocardium:</b> Rafael Levites, Jacob I. Haft, and D. Venkatachalapathy . . . . .	687
<b>Cardiovascular responses in man to a stream of cold air:</b> J. M. Hayward, W. F. Holmes, and B. A. Gooden . . . . .	691
<b>Cyclic AMP as a determinant of vulnerability to ventricular fibrillation in the isolated rat heart:</b> W. F. Lubbe, O. L. Bricknell, T. Podzuweit, and L. H. Opie . . . . .	697
<b>Volume Index . . . . .</b>	703

# CARDIOVASCULAR DISEASE IN THE TROPICS

Edited by A. G. Shaper, M. S. R. Hutt and Z. Fejfar

Cardiovascular disease is a major problem in many developing and tropical countries and this collection of essays by 36 members of the *International Society of Cardiology* draws attention to the fascinating and complex situation in the tropical world. The book presents the present state of knowledge regarding many conditions previously thought to be peculiar to the temperate and developed countries and also deals with those disorders peculiar to the tropical situation. The differences in geographic distribution and natural history of many cardiovascular problems between temperate and tropical countries provide unique opportunities for research into the nature of these problems. The book is intended not only for doctors and students in tropical countries but for cardiologists, physicians, pathologists and epidemiologists everywhere, who are concerned with the international problem of cardiovascular disease. It provides an up-to-date review suitable both for clinical and epidemiological work and for further research into these disorders.

*Demy Octavo*

*Paperback*

*394 pages*

**Price: £4.50 (U.S.A. \$13.50) including postage**

**ORDER YOUR COPY NOW FROM:**

The Publisher, British Medical Journal, BMA House,  
Tavistock Square, London WC1H 9JR  
*or through any leading bookseller*



# AUTHOR INDEX

1976, Volume 10

## A

- ARBOUD, F. M. *See* WHITE, C. W., *et al*  
 ALEXANDER, C. S., and LIU, S.-M. Effect of hypercapnia and hypocapnia on myocardial blood flow and performance in anaesthetized dogs, 341  
 ALPS, B. J. *See* COLLIS, M. G., and ALPS, B. J.  
 ANGELSEN, B. A. J., and BRUBAKK, A. O. Transcutaneous measurement of blood flow velocity in the human aorta, 368  
 ANGUS, J. A., RICHMOND, D. R., DHUMMA-UPAKORN, P., COBBIN, L. B., and GOODMAN, A. H. Cardiovascular action of verapamil in the dog with particular reference to myocardial contractility and atrioventricular conduction, 623  
 APSTEIN, C. S. *See* WEINER, J. M., *et al*  
 ARANA, R. M. *See* STERIN-BORDA, L., *et al*  
 ARTHUR, J. H. *See* WEINER, J. M., *et al*

## B

- BALCON, R. *See* DONALDSON, R., *et al*  
 BANKA, V. S. *See* BODENHEIMER, M. M., *et al*  
 BARCZAK, J. STASZEWSKA- *See* STASZEWSKA-BARCZAK, J.  
 BARENDSEN, G. J., and VAN DEN BERG, J. Venous pressure-volume relation and calf blood flow determined by changes in posture, 206  
 BEER, E. L. DE *See* DE BEER, E. L.  
 BELL, C. Innervation and responses to vasoactive drugs of the extrinsic uterine artery of the macaque, 482  
 BENNETT, T., HOSKING, D. J., and HAMPTON, J. R. Cardiovascular reflex responses to apnoeic face immersion and mental stress in diabetic subjects, 192  
 BENTIVOGLIO, L. G., CUESTA, A. J., GRIFFITH, L. D., and GECZY, M. Evaluation of single plane angiography for left ventricular volume in the intact dog, 283  
 BERG, J. VAN DEN *See* VAN DEN BERG, J.  
 BERRY, C. L., and GREENWALD, S. E. Effects of hypertension on the static mechanical properties and chemical composition of the rat aorta, 437  
 BLASS, K.-E., TRIEBE, G., TRAUB, F., and FÖRSTER, W. Influence of long-term treatment with dipyridamole on the aorta-stenosed rabbit heart: morphometric and functional investigations, 514  
 BLATTBERG, B. *See* LEVY, M. N., *et al*  
 BLEUS, J. P. *See* BOLAND, J., *et al*  
 BLOOM, D. S., STEIN, M. G., and ROSENDRORFF, C. Effects of hypertensive plasma on the response of an isolated artery preparation to noradrenaline, 268  
 BLOUIN, S. *See* DAGENAIS, G. R., *et al*  
 BODENHEIMER, M. M., BANKA, V. S., and HELFANT, R. H. Effect of heart rate on zonal tension and ischaemia following coronary occlusion: optimal rate for Treppe versus ischaemia, 336  
 BOLAND, J., TROQUET, J., and BLEUS, J. P. Alterations of the Frank orthogonal scalar leads induced by anaphylactic shock in the rabbit, 474  
 BOMZE, H. *See* COOKSEY, J., *et al*  
 BONFILS-ROBERTS, E. A. *See* MORENO, A. H., *et al*  
 BOOM, H. B. K. *See* DE BEER, E. L., *et al*  
 BORDA, L. STERIN- *See* STERIN-BORDA, L.  
 BORGERS, M. *See* VAN REEMPTS, J., *et al*  
 BOS, G. C. VAN DEN *See* VAN DEN BOS, G. C.

- BOUGHNER, D. R. *See* LIM, K. O., and BOUGHNER, D. R.  
 BRADLEY, J. F. *See* MCGREGOR, C. G. A., *et al*  
 BRASHER, M. *See* GAFFNEY, P. J., *et al*  
 BRICKNELL, O. L. *See* LUBBE, W. F., *et al*  
 BRORSON, L., CONRADSON, T. B., OLSSON, B., and VARNAUSKAS, E. Right atrial monophasic action potential and effective refractory periods in relation to physical training and maximal heart rate, 160  
 BRUBAKK, A. O. *See* ANGELSEN, B. A. J., and BRUBAKK, A. O.  
 BUMPUS, F. M. *See* SEN, S., *et al*  
 BUÑAG, R. D., and EFERAKEVA, A. E. Immediate hypotensive after-effects of posterior hypothalamic lesions in awake rats with spontaneous, renal, or Doca hypertension, 663  
 BURCHELL, H. B. *See* PARADISE, N. F., *et al*

## C

- CAREW, T. E., and COVELL, J. W. Effect of intramyocardial pressure on the phasic flow in the intraventricular septal artery, 56  
 CAREY, R. A., TIFTON, C. M., and LUND, D. R. Influence of training on myocardial responses of rats subjected to conditions of ischaemia and hypoxia, 359  
 CEDRO, K. HERBACZYNSKA- *See* HERBACZYNSKA-CEDRO, K.  
 CHIBA, S., SIMMONS, T. W., LEVY, M. N., and ZIESKE, H. A. Effect of ischaemia on overdrive suppression in isolated, blood-perfused atrial preparations of dogs, 574  
 COBBIN, L. B. *See* ANGUS, J. A., *et al*  
 COGHLAN, J. P. *See* SHULKES, A. A., *et al*  
 COLLIS, M. G., and ALPS, B. J. The renin-angiotensin system, dietary salt, and increased sensitivity to noradrenaline in mesenteric vasculature preparations from renal/salt hypertensive rats, 232  
 CONRADSON, T. B. *See* BRORSON, L., *et al*  
 COOKSEY, J., SCHANUEL, K., and BOMZE, H. Effect of digitoxin on cardiac hypertrophy induced by pericardiectomy and exercise, 633  
 COSSIO, P. M. *See* STERIN-BORDA, L., *et al*  
 COULTER, N. A. *See* LUCAS, C. L., *et al*  
 COVELL, J. W. *See* CAREW, T. E., and COVELL, J. W.  
 CUESTA, A. J. *See* BENTIVOGLIO, L. G., *et al*

## D

- DAGENAIS, G. R., MOISAN, A., MARQUIS, Y., DAVIES, R. O., and BLOUIN, S. Effects of practolol on exercise tolerance and cardiac haemodynamics and metabolism in patients with coronary artery disease, 25  
 DAVIES, R. O. *See* DAGENAIS, G. R., *et al*  
 DAWSON, C. A. *See* QUEBBEMAN, E. J., and DAWSON, C. A.  
 DE BEER, E. L., BOOM, H. B. K., and SCHAMHARDT, H. C. A note on the phase-plane technique representation of cardiac action potentials, 136  
 DENTON, D. A. *See* SHULKES, A. A., *et al*  
 DHINDSA, D. S. *See* MALINOW, M. R., *et al*  
 DHUMMA-UPAKORN, P. *See* ANGUS, J. A., *et al*  
 DIETZMAN, R. H. *See* SHATNEY, C. H., *et al*  
 DIEZ, C. *See* STERIN-BORDA, L., *et al*  
 DOMENECH, R. J., and GOICH, J. Effect of heart rate on regional coronary blood flow, 224

- DONALDSON, R., RICKARDS, A. F., WRIGHT, J. E. C., WILLIAMS, B. T., RUSSELL, D., and BALCON, R. Effect of isoprenaline and nitroglycerine on pressure time indices and coronary graft blood flow in man, 169

## E

- ECKBERG, D. L. See WHITE, C. W., *et al*  
 EFERAKEYA, A. E. See BUNAG, R. D., and EFERAKEYA, A. E.  
 EICHELBAUM, M. See SCHOMERUS, M., *et al*  
 EL-SHERIF, N. See WILLIAMS, D. O., *et al*  
 ELZINGA, G. See VAN DEN BOS, G. C., *et al*  
 EVANS, D. H., MCDICKEN, W. N., and ROBERTSON, D. A. R. The accuracy of cardiac function indices derived from ultrasonic time-position scans, 65  
 EVANS, T. R. See TURNER, J. H., *et al*

## F

- FAN, J. S. K. See SHULKES, A. A., *et al*  
 FERREIRA, S. H. See STASZEWSKA-BARCZAK, J., *et al*  
 FINKELSTEIN, H. See LEVY, M. N., *et al*  
 FÖRSTER, W. See BLASS, K.-E., *et al*  
 FOX, I. J. See PARADISE, N. F., *et al*  
 FRANKEL, H. L. See MATHIAS, C. J., *et al*

## G

- GÁBOR, G., ISTVANFFY, M., and HALMAGYI, M. Increase of intravascular blood volume in ischaemic heart disease, 153  
 GAFFNEY, P. J., BRASHER, M., LORD, K., STRACHAN, C. J. L., WILKINSON, A. R., KAKKAR, V. V., and SCULLY, M. F. Fibrin subunits in venous and arterial thromboembolism, 421  
 GECZY, M. See BENTIVOGLIO, L. G., *et al*  
 GEIGER, G. L. See NEREM, R. M., *et al*  
 GERASCH, D. A. See PARADISE, N. F., *et al*  
 GIMENO, A. L. See STERIN-BORDA, L., *et al*  
 GIMENO, M. F. See STERIN-BORDA, L., *et al*  
 GOICH, J. See DOMENECH, R. J., and GOICH, J.  
 GOMES, R. SEABRA- See SEABRA-GOMES, R.  
 GOODEN, B. A. See HAYWARD, J. M., *et al*  
 GOODMAN, A. H. See ANGUS, J. A., *et al*  
 GRAHAM, T. C. See JARMAKANI, J. M., *et al*  
 GRAU, A. See NAYLER, W. G., *et al*  
 GREENSPAN, K. See STEINBERG, M. I., and GREENSPAN, K.  
 GREENWALD, S. E. See BERRY, C. L., and GREENWALD, S. E.  
 GRIFFITH, L. D. See BENTIVOGLIO, L. G., *et al*  
 GROSS, D. R. See NEREM, R. M., *et al*  
 GÜLKER, H. See MEESMANN, W., *et al*

## H

- HAFT, J. I. See LEVITES, R., *et al*  
 HALMAGYI, M. See GÁBOR, G., *et al*  
 HAMLIN, N. P. See POHOST, G. M., *et al*  
 HAMPTON, J. R. See BENNETT, T., *et al*  
 HAUGE, A. See PIENE, P., and HAUGE, A.  
 HAYWARD, J. M., HOLMES, W. F., and GOODEN, B. A. Cardiovascular responses in man to a stream of cold air, 691  
 HEATH, D. See KAY, J. M., *et al*  
 HELFANT, R. H. See BODENHEIMER, M. M., *et al*  
 HERBACZYNSKA-CEDRO, K., STASZEWSKA-BARCZAK, J., and JANCZEWSKA, H. Muscular work and the release of prostaglandin-like substances, 413  
 HILL, J. See MALINOW, M. R., *et al*  
 HILLMAN, C. C. See TUTTLE, R. R., *et al*  
 HOLMES, W. F. See HAYWARD, J. M., *et al*  
 HOOD, W. B. See WEINER, J. M., *et al*  
 HOPE, R. R. See WILLIAMS, D. O., *et al*  
 HOSKING, D. J. See BENNETT, T., *et al*

- HUTTON, I., PLATT, M., WATSON, J., TEMPLETON, G., and WILLERSON, J. Influence of frequency of atrial concentration on coronary blood flow and ventricular performance in the conscious dog with myocardial infarction, 109

## I

- INASAKA, T. See WHITE, C. W., *et al*  
*International Conference on Cardiovascular System Dynamics*, Philadelphia, 3 to 7 October 1976, announcement, 498  
 ISTVANFFY, M. See GÁBOR, G., *et al*

## J

- JANCZEWSKA, H. See HERBACZYNSKA-CEDRO, K., *et al*  
 JANSEN, T. C. See VAN DER MARK, F., *et al*  
 JARMAKANI, J. M., LIMBIRD, L., GRAHAM, T. C., and MARKS, R. A. Effect of reperfusion on myocardial infarct, and the accuracy of estimating infarct size from serum creatine phosphokinase in the dog, 245  
 JENNINGS, R. B. See KLONER, R. A., *et al*  
 JOHNSTON, K. See LAYTON, C., *et al*  
 JONES, C. E., THOMAS, J. X., PARKER, J. C., and PARKER, R. E. Acute changes in high energy phosphates, nucleotide derivatives, and contractile force in ischaemic and nonischaemic canine myocardium following coronary occlusion, 275  
 JONES, T. See TURNER, J. H., *et al*

## K

- KAKKAR, V. V. See GAFFNEY, P. J., *et al*  
 KAPPAGODA, C. T., and LINDEN, R. J. The use of SI units in cardiovascular studies, 141  
 KAWAMURA, M., SAKAKIBARA, K., SAKAKIBARA, B., KIDOKORO, H., TAKAHASHI, H., KOBAYASHI, S., KONISHI, S., and UNO, Y. Protective effect of hyperbaric oxygen for the temporary ischaemic myocardium. Macroscopic and histological data, 599  
 KAY, J. M., SMITH, P., HEATH, D., and WILL, J. A. Effect of phenobarbitone, cinnarizine, and zoxazolamine on the development of right ventricular hypertrophy and hypertensive pulmonary vascular disease in rats treated with monocrotaline, 200  
 KHATTER, J. C., and PRASAD, K. Myocardial sarcolemmal ATPase in dogs with induced mitral insufficiency, 637  
 KIDOKORO, H. See KAWAMURA, M., *et al*  
 KLONER, R. A., REIMER, K. A., and JENNINGS, R. B. Distribution of coronary collateral flow in acute myocardial ischaemic injury: effect of propranolol, 81  
 KOBAYASHI, S. See KAWAMURA, M., *et al*  
 KONDO, K. See SAITO, I., *et al*  
 KONISHI, S. See KAWAMURA, M., *et al*  
 KOSTIUK, D. P. See SUGA, H., *et al*  
 KOT, P. A., and ROSE, J. C. Effects of drugs on the negative (backflow) component of velocity patterns in the dog aorta, 119  
 KRALIOS, A. C., TSAGARIS, T. J., and KUIDA, H. Myocardial oxygen consumption after major coronary artery occlusion in anaesthetized dogs with constant left ventricular workload, 642  
 KRÄMER, B. See MEESMANN, W., *et al*  
 KUIDA, H. See KRALIOS, A. C., *et al*

## L

- LAGUENS, R. P. See STERIN-BORDA, L., *et al*  
 LAVENDER, J. P. See TURNER, J. H., *et al*  
 LAYTON, C., JOHNSTON, K., SELMAN, A., and McDONALD, A. Analog computer assisted beat-by-beat measurement of stroke volume and related variables in man, 328

- LAZZARA, R. See WILLIAMS, D. O., *et al*  
 LEVITES, R., HAFT, J. I., and VENKATACHALAPATHY, D. Effects of lignocaine on intramyocardial conduction in nonischaemic and ischaemic canine myocardium, 687  
 LEVY, M. N., and BLATTBERG, B. (with technical assistance of H. Finkelstein). Progressive reduction in norepinephrine overflow during cardiac sympathetic nerve stimulation in the anaesthetized dog, 549  
 — See also CHIBA, S., *et al*  
 LEWI, P. See SNOECKX, L. H., *et al*  
 LEWIS, R. M. See REDDY, Y. S., *et al*  
 LILLEHEI, R. C. See SHATNEY, C. H., *et al*  
 LIM, K. O., and BOUGHNER, D. R. Low frequency dynamic viscoelastic properties of human mitral valve tissue, 459  
 LIMBIRD, L. See JARMAKANI, J. M., *et al*  
 LINDEN, R. J. See KAPPAGODA, C. T., and LINDEN, R. J.  
 LIU, S.-M. See ALEXANDER, C. S., *et al*  
 LLOYD, B. L., and TAYLOR, R. R. Influence of myocardial mechanical activity and coronary blood flow on myocardial digoxin uptake, 487  
 LORD, K. See GAFFNEY, P. J., *et al*  
 LOWN, B. See THOMPSON, P. L., and LOWN, B.  
 LUBBE, W. F., BRICKNELL, O. L., PODZUWEIT, T., and OPIE, L. H. Cyclic AMP as a determinant of vulnerability to ventricular fibrillation in the isolated rat heart, 697  
 LUCAS, C. L., WILCOX, B. R., and COULTER, N. A. Contrasting pulmonary blood flow profiles in children with atrial and ventricular septal defects, 1  
 LUND, D. R. See CAREY, R. A., *et al*

M

- MCCALL, D. Influence of procainamide on sodium and potassium exchange and permeabilities in cultured human cells, 537  
 MCDEVITT, D. G., and NIES, A. S. Simultaneous measurement of cardiac output and its distribution with microspheres in the rat: instruments and techniques, 1494  
 MCDICKEN, W. N. See EVANS, D. H., *et al*  
 McDONALD, A. See LAYTON, C., *et al*  
 MCGEE, J. O'D. See MCGREGOR, C. G. A., *et al*  
 MCGREGOR, C. G. A., BRADLEY, J. F., MCGEE, J. O'D., and WHEATLEY, D. J. Tissue culture, protein and collagen synthesis in antibiotic sterilized canine heart valves, 389  
 ——— Viability in human heart valves prepared for grafting, 394  
 McLAUGHLIN, P. See MALINOW, M. R., *et al*  
 McNULTY, W. P. See MALINOW, M. R., *et al*  
 MALINOW, M. R., McLAUGHLIN, P., DHINDSA, D. S., METCALFE, J., OCHSNER, A. J., HILL, J., and McNULTY, W. P. Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys (*Macaca fascicularis*), 101  
 MANDEL, W. J. See OBAYASHI, K., and MANDEL, W. J.  
 MARK, F. VAN DER. See VAN DER MARK, F.  
 MARKS, R. A. See JARMAKANI, J. M., *et al*  
 MARQUIS, Y. See DAGENAIS, G. R., *et al*  
 MATHIAS, C. J., SMITH, A. D., FRANKEL, H. L., and SPALDING, J. M. K. Dopamine  $\beta$ -hydroxylase release during hypertension from sympathetic nervous overactivity in man, 176  
 MATSUKI, S. See SAITO, I., *et al*  
 MECKERT, P. C. See STERIN-BORDA, L., *et al*  
 MEESMANN, W., GÜLKER, H., KRÄMER, B., and STEPHAN, K. Time course of changes in ventricular fibrillation threshold in myocardial infarction: characteristics of acute and slow occlusion with respect to the collateral vessels of the heart, 466  
 METCALFE, J. See MALINOW, M. R., *et al*

- MILLER, N. E. See MJØS, O. D., *et al*  
 MISUMI, J. See SAITO, I., *et al*  
 MJØS, O. D., MILLER, N. E., RIEMERSMA, R. A., and OLIVER, M. F. Effects of dichloroacetate on myocardial substrate extraction, epicardial ST-segment elevation, and ventricular blood flow following coronary occlusion in dogs, 427  
 MOISAN, A. See DAGENAIS, G. R., *et al*  
 MORENO, A. H., BONFILS-ROBERTS, E. A., STEEN, J. A., and REDDY, R. V. Myocardial contractile reserve and indices of contractility, 524  
 MUIR, W. W. See NEREM, R. M., *et al*  
 MURAO, H., and ROBBARD, S. Mathematical formulation of post-occlusion hyperaemia and autoregulation of blood flow in the capillaron model, 13  
 N  
 NAYLER, W. G., GRAU, A., and SLADE, A. A protective effect of verapamil on hypoxic heart muscle, 650  
 — and SEABRA-GOMES, R. Effect of methylprednisolone sodium succinate on hypoxic heart muscle, 349  
 NEREM, R. M., RUMBERGER, J. A., GROSS, D. R., MUIR, W. W., and GEIGER, G. L. Hot film coronary artery velocity measurements in horses, 301  
 NEWELL, J. B. See POHOST, G. M., *et al*  
 NIES, A. S. See MCDEVITT, D. G., and NIES, A. S.

O

- OBAYASHI, K., and MANDEL, W. J. Electrophysiological effects of ajmaline in isolated cardiac tissue, 20  
 OCHSNER, A. J. See MALINOW, M. R., *et al*  
 OLIVER, M. F. See MJØS, O. D., *et al*  
 OLSSON, B. See BRORSON, L., *et al*  
 OPIE, L. H. See LUBBE, W. F., *et al*

P

- PARADISE, N. F., TRIPP, M. R., BURCHELL, H. B., GERASCH, D. A., SWAYZE, L. R., and FOX, I. J. Effect of nitroglycerin with and without systemic hypotension on canine regional myocardial tritiated water deposition, 182  
 PARKER, J. C. See JONES, C. E., *et al*  
 PARKER, R. E. See JONES, C. E., *et al*  
 PIENE, H., and HAUGE, A. Reduction of pulsatile hydraulic power in the pulmonary circulation caused by moderate vasoconstriction, 503  
 PIGGOTT, W. J. See POOL, P. E., *et al*  
 PIRZADA, F. A. See WEINER, J. M., *et al*  
 PITT, B. See SASAKI, Y., and PITT, B.  
 PLATT, M. See HUTTON, I., *et al*  
 PODZUWEIT, T. See LUBBE, W. F., *et al*  
 POHOST, G. M., NEWELL, J. B., HAMLIN, N. P., and POWELL, W. J. Observations on autoregulation in skeletal muscle: the effects of arterial hypoxia, 405  
 POOL, P. E., PIGGOTT, W. J., SEAGREN, S. C., and SKELTON, C. L. Augmented right ventricular function in systemic hypertension-induced hypertrophy, 124  
 — See also SKELTON, C. L., *et al*  
 POWELL, W. J. See POHOST, G. M., *et al*  
 PRASAD, K. See KHATTER, J. C., and PRASAD, K.

Q

- QUEBBEMAN, E. J., and DAWSON, C. A. Influence of inflation and atelectasis on the hypoxic pressor response in isolated dog lung lobes, 672

## R

- RAPHAEL, M. J. See TURNER, J. H., *et al*  
 REDDY, R. V. See MORENO, A. H., *et al*  
 REDDY, Y. S., WYBORN, L., LEWIS, R. M., and SCHWARTZ, A. Biochemical and morphological correlates of cardiac ischaemia: contractile proteins, 129  
 REEMPTS, J. VAN See VAN REEMPTS, J., *et al*  
 RENEMAN, R. S. See SNOECKX, L. H., *et al*  
 VAN REEMPTS, J., *et al*  
 RICHMOND, D. R. See ANGUS, J. A., *et al*  
 RICKARDS, A. F. See DONALDSON, R., *et al*  
 RIEMERSMA, R. A. See MØS, O. D., *et al*  
 ROBERTS, E. A. BONFILS- See BONFILS-ROBERTS, E. A.  
 ROBERTSON, D. A. R. See EVANS, D. H., *et al*  
 REIMER, K. A. See KLONER, R. A., *et al*  
 ROBBARD, S. See MURAO, H., and ROBBARD, S.  
 ROHMER, J., VAN DER MARK, F., and ZULSTRA, W. G. Pulmonary valve incompetence. II. Application of electromagnetic flow velocity catheters in children, 46  
 — See also VAN DER MARK, F., *et al*  
 ROMAN, H. R. See VAN DER MARK, F., *et al*  
 ROSE, J. C. See KOT, P. A., and ROSE, J. C.  
 ROSENDORFF, C. See BLOOM, D. S., *et al*  
 RUMBERGER, J. A. See NEREM, R. M., *et al*  
 RUSSELL, D. See DONALDSON, R., *et al*

## S

- SAGAWA, K. See SUGA, H., *et al*  
 SAKAKIBARA, B. See KAWAMURA, M., *et al*  
 SAKAKIBARA, K. See KAWAMURA, M., *et al*  
 SASAKI, Y., and PITT, B. Measurement of regional myocardial blood flow in dogs using a catheter semiconductor radiation detector: instruments and techniques, 499  
 SARUTA, T. See SAITO, I., *et al*  
 SAITO, I., MISUMI, J., KONDO, K., SARUTA, T., and MATSUKI, S. Effects of furosemide and chlorothiazide on blood pressure and plasma renin activity, 149  
 SAMET, P. See WILLIAMS, D. O., *et al*  
 SCOGGINS, B. A. See SHULKES, A. A., *et al*  
 SCULLY, M. F. See GAFFNEY, P. J., *et al*  
 SCHAMHARDT, H. C. See DE BEER, E. L., *et al*  
 SCHANUEL, K. See COCKSEY, J., *et al*  
 SCHERLAG, B. J. See WILLIAMS, D. O., *et al*  
 SCHOMERUS, M., SPIEGELHALDER, B., STIEREN, B., and EICHELBAUM, M. Physiological disposition of verapamil in man, 605  
 SCHWARTZ, A. See REDDY, Y. S., *et al*  
 SEAGREN, S. C. See POOL, P. E., *et al*  
 SELMAN, A. See LAYTON, C., *et al*  
 SEABRA-GOMES, R. See NAYLER, W. G., and SEABRA-GOMES, R.  
 SELWYN, A. P. See TURNER, J. H., *et al*  
 SEN, S., TARAZI, R. C., and BUMPUS, F. M. Biochemical changes associated with development and reversal of cardiac hypertrophy in spontaneously hypertensive rats, 254  
 SHATNEY, C. H., DIETZMAN, R. H., and LILLEHEI, R. C. Effects of intra-arterial ethanol in cardiogenic shock, 74  
 SHERIF, N. EL- See EL-SHERIF, N.  
 SHULKES, A. A., COGHAN, J. P., DENTON, D. A., FAN, J. S. K., and SCOGGINS, B. A. Concerning the independence of the basis of hypertension due to ACTH or renovascular constriction, 593  
 SIMMONS, T. W. See CHIBA, S., *et al*  
 SIKEMA, P. See VAN DEN BOS, G. C., *et al*  
 SKELTON, C. L., SU, J. Y., and POOL, P. E. Influence of hyperthyroidism on glycerol-extracted cardiac muscle from rabbits, 380  
 — See also POOL, P. E., *et al*

- SLADE, A. See NAYLER, W. G., *et al*  
 SMITH, A. D. See MATHIAS, C. J., *et al*  
 SMITH, P. See KAY, J. M., *et al*  
 SNOECKX, L. H., VERHEYEN, J. L., VAN DE WATER, A., LEWIS, P., and RENEMAN, R. S. On-line computation of cardiac output with the thermodilution method, using a digital minicomputer, 556  
 SPALDING, J. M. K. See MATHIAS, C. J., *et al*  
 SPIEGELHALDER, B. See SCHOMERUS, M., *et al*  
 STEEN, J. A. See MORENO, A. H., *et al*  
 STIEREN, B. See SCHOMERUS, M., *et al*  
 STRACHAN, C. J. L. See GAFFNEY, P. J., *et al*  
 STEPHAN, K. See MEESMANN, W., *et al*  
 STASZEWSKA-BARCZAK, J., FERREIRA, S. H., and VANE, J. R. An excitatory nociceptive cardiac reflex elicited by bradykinin and potentiated by prostaglandins and myocardial ischaemia, 314  
 — See also HERBACZYNSKA-CEDRO, K., *et al*  
 STEIN, M. G. See BLOOM, D. S., *et al*  
 STEINBERG, M. I., and GREENSPAN, K. Intracellular electrophysiological alterations in canine cardiac conducting tissue induced by aprindine and lignocaine, 236  
 STERIN-BORDA, L., COSSIO, P. M., GIMENO, M. F., GIMENO, A. L., DIEZ, C., LAGUENS, R. P., MECKERT, P. C., and ARANA, R. M. Effect of chagasic sera on the rat isolated atrial preparation: immunological, morphological, and functional aspects, 613  
 SU, J. Y. See SKELTON, C. L., *et al*  
 SUGA, H., SAGAWA, K., and KOSTIUK, D. P. Controls of ventricular contractility assessed by pressure-volume ratio,  $E_{max}$ , 582  
 SWAYZE, C. R. See PARADISE, N. F., *et al*

## T

- TAKAHASHI, H. See KAWAMURA, M., *et al*  
 TARAZI, R. C. See SEN, S., *et al*  
 TAYLOR, R. R. See LLOYD, B. L., and TAYLOR, R. R.  
 TEMPLETON, G. See HUTTON, I., *et al*  
 THOMAS, J. X. See JONES, C. E., *et al*  
 THOMPSON, P. L., and LOWN, B. Coronary occlusion before during, and after strenuous exercise, 385  
 TIPTON, C. M. See CAREY, R. A., *et al*  
 TOOMEY, R. E. See TUTTLE, R. R., *et al*  
 TRAUB, F. See BLASS, K.-E., *et al*  
 TRIEBE, G. See BLASS, K.-E., *et al*  
 TRIPP, M. R. See PARADISE, N. F., *et al*  
 TROQUET, J. See BOLAND, J., *et al*  
 TSAGARIS, T. J. See KRALIOS, A. C., *et al*  
 TURNER, J. H., SELWYN, A. P., JONES, T., EVANS, T. R., RAPHAEL, M. J., and LAVENDER, J. P. Continuous imaging of regional myocardial blood flow in dogs using krypton-81m: preliminary communication: instruments and techniques, 398  
 TUTTLE, R. R., HILLMAN, C. C., and TOOMEY, R. E. Differential  $\beta$  adrenergic sensitivity of atrial and ventricular tissue assessed by chronotropic, inotropic, and cyclic AMP responses to isoprenaline and dobutamine, 452

## U

- UNO, Y. See KAWAMURA, M., *et al*  
 UPKORN, P. DHUMMA- See DHUMMA-UPKORN, P.

## V

- VAN DE WATER, A. See SNOECKX, L. H., *et al*  
 VAN DEN BERG, J. See BARENDSEN, G. J., and VAN DEN BERG, J.  
 VAN DEN BOS, G. C., WESTERHOF, N., ELZINGA, G., and SIKEMA, P. Reflection in the systemic arterial system: effects of aorta and carotid occlusion, 565

- VAN DER MARK, F., ROHMER, J., ZIJLSTRA, W. G. (with technical assistance of T. C. Jansen and H. R. Roman). Pulmonary valve incompetence. I. Evaluation using electromagnetic flow velocity catheters and a new valve insufficiency analyser, 37  
 — See also ROHMER, J., *et al*  
 VAN REEMPTS, J., BORBERS, M., and RENEMAN, R. S. Early myocardial ischaemia: evaluation of the histochemical haematoxylin-basic fuchsin-picric acid (HBFP) staining technique, 262  
 VANE, J. R. See STASZEWSKA-BARCZAK, J., *et al*  
 VARNAUSKAS, E. See BRORSON, L., *et al*  
 VENKATACHALAPATHY, D. See LEVITES, R., *et al*  
 VERHEYEN, J. L. See SNOECKX, L. H., *et al*

W

- WATER, A. VAN DE See VAN DE WATER, A.  
 WATSON, J. See HUTTON, I., *et al*  
 WEINER, J. M., APSTEIN, C. S., ARTHUR, J. H., PIRZADA, F. A., and HOOD, W. B. Persistence of myocardial injury following brief periods of coronary occlusion, 678  
 WESTERHOF, N. See VAN DEN BOS, G. C., *et al*

- WHEATLEY, D. J. See MCGREGOR, C. G. A., *et al*  
 WHITE, C. W., ECKBERG, D. L., INASAKA, T., and ABOUD, F. M. Effects of angiographic contrast media on sino-atrial nodal function, 214  
 WILCOX, B. R. See LUCAS, C. L., *et al*  
 WILKINSON, A. R. See GAFFNEY, P. J., *et al*  
 WILL, J. A. See KAY, J. M., *et al*  
 WILLERSON, J. See HUTTON, I., *et al*  
 WILLIAMS, B. T. See DONALDSON, R., *et al*  
 WILLIAMS, D. O., SCHERLAG, B. J., HOPE, R. R., EL-SHERIF, N., LAZZARA, R., and SAMET, P. Selective versus non-selective His bundle pacing, 91  
 WRIGHT, J. E. C. See DONALDSON, R., *et al*  
 WYBORN, L. See REDDY, Y. S., *et al*

Z

- ZBROŻYNA, A. W. Renal vasoconstriction in naturally elicited fear and its habituation in baboons, 295  
 ZIESKE, H. A. See CHIBA, S., *et al*  
 ZIJLSTRA, W. G. See VAN DER MARK, F., *et al*  
 — See also ROHMER, J., *et al*



# SUBJECT INDEX

1976, Volume 10

## A

- ACTH and chronic renovascular hypertension, sheep, 593
- Air, cold, cardiovascular responses, man, 691
- Ajmaline in isolated cardiac tissue, electrophysiological effects, 20
- Anaphylactic shock inducing alterations of Frank orthogonal scalar leads, rabbit, 474
- Angina pectoris, and cardiovascular responses to a stream of cold air, man, 691
- Angiography, single plane, evaluation, for left ventricular volume, intact dog, 283
- Angiotensin, salt and vascular reactivity, 232
- Aorta, blood flow velocity, transcutaneous measurement, man, 368
  - static mechanical properties and chemical composition, effects of hypertension, rat, 437
  - stenosed heart under long-term dipyrindamole treatment, 514
  - thoracic, flow reversal, effects of drugs, dog, 119
- Aortic occlusion, and reflection in systemic arterial system, dogs, 565
- Aprindine and lignocaine, electrophysiology, 236
- Artery, isolated, effect of chagasic sera, immunological, morphological and functional aspects, rat, 613
  - effects of hypertensive plasma on its responses to noradrenaline, 268
  - See also Aorta: Coronary and specific names
- Atelectasis and inflation, influence on hypoxic response in isolated dog lung lobes, 672
- Atrial contraction, influence on coronary blood flow and ventricular performance in conscious dog with myocardial infarction, 109
  - repolarization and physical training and maximal heart rate, 160
  - ventricular defects, pulmonary blood flow, contrasting profiles, children, 1
- Autoregulation of blood flow in skeletal muscle, effects of arterial hypoxia, 405

## B

- Beta receptors, cardiac, differentiation, cats, 452
- Blood flow, autoregulation, and post-occlusion hyperaemia in capillary model, mathematical formulation, 13
  - in skeletal muscle, effects of arterial hypoxia, 405
  - calf, and venous pressure-volume relation determined by changes in posture, 206
  - coronary collateral, distribution in myocardial ischaemic injury: effect of propranolol, 81
  - graft, and pressure time indices, effect of isoprenaline and nitroglycerine, 169
  - effect of heart rate, 224
  - and myocardial mechanical activity, influence on myocardial digoxin uptake, 487
  - and pressure time indices, effect of isoprenaline and nitroglycerine, 169
  - and ventricular performance, influence of atrial contraction in conscious dog with myocardial infarction, 109
  - myocardial, effect of hypercapnia and hypocapnia, anaesthetized dogs, 341

- — — krypton-81m, regional, continuous imaging, dogs: instruments and techniques, 398
- — — measurement using a catheter semiconductor radiation detector, dogs: instruments and techniques, 499
- negative (backflow) component of velocity patterns in dog aorta, effects of drugs, 119
- pulmonary, contrasting profiles, atrial and ventricular septal defects, children, 1
- redistribution from nitroglycerin, 182
- velocity in human aorta, transcutaneous measurement, 368
- pressure and plasma renin activity, effects of furosemide and chlorothiazide, 149
- volume, intravascular, increase in ischaemic heart disease, 153
- Bradykinin, excitatory nociceptive cardiac reflex elicited by, and potentiated by prostaglandins and myocardial ischaemia, 314

## C

- Capillary model, post-occlusion hyperaemia and autoregulation of blood flow, mathematical formulation, 13
- Carbon dioxide, response of heart to, 341
- monoxide, failure to induce myocardial infarction in cholesterol-fed cynomolgus monkeys, 101
- Cardiac function indices derived from ultrasonic time-position scans, accuracy, 65
  - hypertrophy. See Hypertrophy, cardiac
  - muscle, glycerol-extracted, influence of hyperthyroidism on, rabbits, 380
  - output, on-line computation with thermodilution method, using digital minicomputer, 556
  - simultaneous measurement, and its distribution with microspheres, rat: instruments and techniques, 494
  - receptors, international symposium, Leeds, 14-17 September 1976, announcement, 19
- Cardiogenic shock, effects of intra-arterial ethanol, 74
- Cardiovascular Commission of International Union of Physiological Sciences, International Symposium on Cardiac Receptors, Leeds, 14-17 September 1976, announcement, 19
  - reflexes in diabetics, 192
  - system dynamics, International Conference, Philadelphia, 3-7 October 1976, announcement, 498
- Carotid occlusion, and reflection in systemic arterial system, dogs, 565
- Catheters, electromagnetic flow velocity, use in evaluation of pulmonary valve incompetence, 37; in children, 46
- Chagasic sera, effect on isolated atrial preparation: immunological, morphological and functional aspects, rats, 613
- Chlorothiazide and furosemide, effects on blood pressure and plasma renin activity, 149
- Cholesterol-fed cynomolgus monkeys, and failure of carbon monoxide to induce myocardial infarction, 101
- Cinnarizine, effect on hypertensive pulmonary vascular disease, rats, 200
- Collagen and protein synthesis, and tissue culture in antibiotic sterilized canine heart valves, 389
- Conduction, intramyocardial, in nonischaemic and ischaemic canine myocardium, effects of lignocaine, 687



- Congress of Cardiology, VIII World, Tokyo, 17-23 September 1978, announcement, 649
- Contractile force, myocardial, and high energy phosphates following coronary occlusion, 275
- Contractility, cardiac, controls assessed by pressure-volume ratio  $E_{max}$ , dogs, 582
- indices, and myocardial contractile reserve, 524
- Contrast media, angiographic, effects on sino-atrial nodal function, 214
- Coronary artery disease, effects of practolol on exercise tolerance, cardiac haemodynamics, and metabolism, 25
- occlusion, myocardial oxygen consumption after, in anaesthetized dogs with constant left ventricular workload, 642
- velocity measurements using hot-film anemometer system, horses, 301
- blood flow. *See* Blood flow, coronary
- occlusion, acute and slow, time course of ventricular fibrillation threshold, dogs, 466
- before, during, and after strenuous exercise, dogs, 385
- Coronary occlusion, effect of heart rate on zonal tension and ischaemia following: optimal rate for Treppe versus ischaemia, 336
- myocardial high energy phosphates and contractile force following, 275
- persistence of myocardial injury, dogs, 678
- Creatine phosphokinase, serum, accuracy of estimating infarct size from, dog, 245
- Cyclic AMP as determinant of vulnerability to ventricular fibrillation in isolated rat heart, 697

## D

- Diabetics, cardiovascular reflexes, 192
- Dichloroacetate and myocardial ischaemic injury, dogs, 427
- Digitoxin, effect on cardiac hypertrophy induced by pericardiectomy and exercise, 633
- Digoxin, myocardial uptake, influence of myocardial mechanical activity and coronary blood flow, dogs, 487
- Dipyridamole, influence of long-term treatment on aorta-stenosed rabbit heart: morphometric and functional investigations, 514
- Diuretics and renin in hypertension, 149
- Dobutamine, atrial and ventricular response to, 452
- Dopamine  $\beta$ -hydroxylase release during hypertension from sympathetic nervous overactivity, 176

## E

- EDITORIAL: Adoption of the International System of Units (SI) by *Cardiovascular Research*, 139
- Effective refractory periods and right atrial monophasic action potential, in relation to physical training and maximal heart rate, 160
- Elasticity of human mitral valve tissue, 459
- Electromagnetic flow velocity catheters, use in evaluation of pulmonary valve incompetence, 37; in children, 46
- Ethanol, intra-arterial, effects in cardiogenic shock, 74
- Exercise, strenuous, coronary occlusion before, during, and after, dogs, 385
- tolerance in coronary artery disease, effect of practolol, 25
- *See also* Training

## F

- Fibrillation, ventricular. *See* Ventricular fibrillation
- Fibrin subunits in venous and arterial thromboembolism, 421
- Flowmeter, use in study of effects of drugs on negative components of velocity patterns in dog aorta, 119
- Furosemide and chlorothiazide, effects on blood pressure and plasma renin activity, 149

## G

- Grafting, human heart valves prepared for, viability, 394

## H

- Haematoxylin-basic fuchsin-picric acid staining technique, evaluation in early myocardial ischaemia, 262
- Haemodynamics and metabolism, in coronary artery disease, effects of practolol, 25
- Heart muscle, hypoxic, protective effect of verapamil, 650
- rate, effect on regional coronary blood flow, 224
- effect on zonal tension and ischaemia following coronary occlusion: optimal rate for Treppe versus ischaemia, 336
- maximal, and physical training, in relation to right atrial monophasic action potential and effective refractory periods, 160
- valves, antibiotic sterilized, tissue culture, protein and collagen synthesis, dogs, 389
- prepared for grafting, viability, man, 394
- His bundle pacing, selective versus non-selective, 91
- Hot-film coronary artery velocity measurements, horses, 301
- Hyperaemia, post-occlusion, and blood flow in capillary model, mathematical formulation, 13
- Hypercapnia and hypocapnia, effect on myocardial blood flow and performance, anaesthetized dogs, 341
- Hypertension, and aortic distensibility, rat, 437
- cardiac hypertrophy in, biochemical changes associated with, 254
- effect of ACTH in normotensive and renovascular constriction, sheep, 593
- and plasma renin activity, effects of furosemide and chlorothiazide, 149
- spontaneous, renal or Doca, immediate hypotensive after-effects of posterior hypothalamic lesions, rats, 663
- due to sympathetic nervous overactivity, dopamine  $\beta$ -hydroxylase release during, 176
- Hypertensive plasma, effects on the responses of an isolated artery preparation to noradrenaline, 268
- Hyperthyroidism, influence on glycerol-extracted cardiac muscle, rabbits, 380
- Hypertrophy, cardiac, in hypertension, biochemical changes associated with, 254
- induced by pericardiectomy and exercise, effect of digitoxin, 633
- hypertension-induced, augmented right ventricular function in, 124
- Hypothalamic lesions in hypertensive rats, 663
- Hypoxia, arterial, effects on autoregulation of blood flow in skeletal muscle, 405
- and ischaemia, myocardial functioning, effect of training, rats, 359
- Hypoxic heart muscle, effect of methylprednisolone sodium succinate, 349

## I

- Inflation and atelectasis, influence on hypoxic response in isolated dog lung lobes, 672
- INSTRUMENTS AND TECHNIQUES: Continuous imaging of regional myocardial blood flow in dogs using krypton-81m, 398
- Measurement of regional myocardial blood flow in dogs using a catheter semiconductor radiation detector, 499
- Simultaneous measurement of cardiac output and its distribution in the rat, 494
- International System of Units. *See* SI units
- Intramyocardial pressure, effect on phasic flow in the intraventricular septal artery, 56
- Intravascular blood volume, increase in ischaemic heart disease, 153

- Intraventricular septal artery, effect of intramyocardial pressure on phasic flow, 56
- Ischaemia and hypoxia, myocardial functioning, effect of training, rats, 359
- myocardial, biochemical and morphological correlates: contractile proteins, 129
  - and cardiac reflex response elicited by bradykinin and potentiated by prostaglandins, 314
  - distribution of coronary collateral flow: effect of propranolol, 81
  - effects of dichloroacetate, dogs, 427
  - evaluation of HBFP staining technique, 262
  - effect on overdrive suppression in isolated, blood-perfused atrial preparations, dogs, 574
- Ischaemic myocardium, temporary, protective effect of hyperbaric oxygen, 599
- heart disease, increase of intravascular blood volume, 153
  - isoprenaline, atrial and ventricular response to, 452
  - and nitroglycerine, effect on pressure time indices and coronary graft blood flow, 169

## K

- Krypton-81m regional myocardial blood flow, continuous imaging, dogs: instruments and techniques, 398

## L

- Left ventricular volume, evaluation of single plane angiography, intact dog, 283
- Lignocaine and aprindine, electrophysiology, 236
- effects on intramyocardial conduction in nonischaemic and ischaemic canine myocardium, 687
- Lung inflation and pulmonary vasoconstriction, dog, 672

## M

- Mesenteric vasculature preparations from renal/salt hypertensive rats: renin-angiotensin system, dietary salt, and increased sensitivity to noradrenaline in, 232
- Methylprednisolone sodium succinate, effect on hypoxic heart muscle, 349
- Mitral insufficiency, induced, and sarcolemmal ATPase, dogs, 637
- valve tissue, low frequency dynamic viscoelastic properties, 459
- Monophasic action potential, right atrial, and effective refractory periods, in relation to physical training and maximal heart rate, 160
- Muscular work and the release of prostaglandin-like substances, 413
- Myocardial blood flow. *See* Blood flow, myocardial
- contractile reserve and indices of contractility, 524
  - digoxin uptake, influence of myocardial mechanical activity and coronary blood flow, dogs, 487
  - infarction, effect of reperfusion on, and the accuracy of estimating infarct size from serum creatine phosphokinase, dog, 245
  - failure of carbon monoxide to induce, in cholesterol-fed cynomolgus monkeys, 101
  - influence of frequency of atrial contraction on coronary blood flow and ventricular performance, conscious dog, 109
  - injury, persistence, following brief periods of coronary occlusion, 678
  - ischaemia. *See* Ischaemia, myocardial
  - injury, effects of dichloroacetate, 427
  - — persistence following brief periods of coronary occlusion, 678
  - oxygen consumption after major coronary artery occlusion in anaesthetized dogs with constant left ventricular workload, 642

## N

- Nitroglycerine, effect with and without systemic hypotension on canine regional myocardial tritiated water deposition, 182
- and isoprenaline, effect on pressure time indices and coronary graft blood flow, 169
- Noradrenaline, effects of hypertensive plasma on responses of isolated artery preparation to, 268
- Norepinephrine overflow, progressive reduction during cardiac sympathetic nerve stimulation, dog, 549

## O

- Orthogonal ECG, and anaphylactic shock, rabbit, 474
- Output, cardiac. *See* Cardiac output
- Oxygen, hyperbaric, protective effect for temporary ischaemic myocardium, 599
- myocardial consumption, after coronary artery occlusion in anaesthetized dogs with constant left ventricular workload, 642

## P

- Pacemakers, effect of ischaemia on overdrive suppression, isolated, blood-perfused atrial preparations, dogs, 574
- Pacing of His bundle, selective versus non-selective, 91
- Phase-plane techniques of cardiac action potentials, 136
- Phenobarbitone, effect on hypertensive pulmonary vascular disease, rats, 200
- Phosphates, high energy, myocardial, and contractile force following coronary occlusion, 275
- Physical training, and maximal heart rate, in relation to right atrial monophasic action potential and effective refractory periods, 160
- Posture changes, and venous pressure-volume relation and calf blood flow, 206
- Potentials, cardiac action, phase-plane technique representation, 136
- Practolol, effects in exercise tolerance cardiac haemodynamics and metabolism in coronary artery disease, 25
- Pressure time indices and coronary graft blood flow, effect of isoprenaline and nitroglycerine, 169
- volume relation, venous, and calf blood flow determined by changes in posture, 206
- Procainamide, influence on sodium and potassium exchange and permeabilities in cultured human cells, 537
- Propranolol, effect on distribution of coronary collateral flow in acute myocardial ischaemia, 81
- Prostaglandin(s), increasing reflex response elicited by bradykinin, and myocardial ischaemia, 314
- like substances, release in muscular work, 413
- Protein and collagen synthesis, and tissue culture in antibiotic sterilized canine heart valves, 389
- contractile, biochemical and morphological correlates of cardiac ischaemia, 129
- Pulmonary blood flow, contrasting profiles, atrial and ventricular septal defects, children, 1
- valve incompetence. I. Evaluation using electromagnetic flow velocity catheters and new valve insufficiency analyser, 37; II. In children, 46
  - vasoconstriction and lung inflation, dog, 672
- Pulsatile hydraulic power in pulmonary circulation, reduction caused by moderate vasoconstriction, 503

## R

- Receptors, cardiac, international symposium, Leeds, 14-17 September 1976, announcement, 19
- Reflection, systemic arterial, effects of aortic and carotid occlusion, dogs, 565
- Renal vasoconstriction in naturally elicited fear and its habituation, baboons, 295

- Renin activity in hypertension, effects of furosemide and chlorothiazide, 149  
 — angiotensin system, dietary salt, and increased sensitivity to noradrenaline in mesenteric vasculature preparations, 232

## S

- Salt, dietary, angiotensin and vascular sensitivity, 232  
 Sarcolemmal adenosine triphosphatase, myocardial, in induced mitral insufficiency, dogs, 637  
 Scanning, ultrasonic time-position, accuracy of cardiac function indices derived from, 65  
 Semiconductor radiation detector, use for measurement of regional myocardial blood flow, dogs: instruments and techniques, 499  
 Septal artery, intraventricular, effect of intra-myocardial pressure on phasic flow, 56  
 Shock, cardiogenic, effects of intra-arterial ethanol, 74  
 SI units, use in cardiovascular studies, 141  
 — adopted for quantification of scientific data by *Cardiovascular Research*; editorial, 139  
 — use in *Cardiovascular Research*, 294  
 Sino-atrial nodal function, effects of angiographic contrast media, 214  
 Skeletal muscle, release of prostaglandin-like substances, 413  
 Sodium and potassium exchange and permeabilities in cultured human cells, influence of procainamide, 537  
 Stroke volume measurement, analog computer assisted beat by beat, man, 328  
 Sympathetic nervous overactivity, dopamine  $\beta$ -hydroxylase release during, 176  
 Systemic arterial reflection, effects of aortic and carotid occlusion, 565

## T

- Thromboembolism, venous and arterial, fibrin subunits, 421  
 Tissue culture, protein and collagen synthesis in antibiotic sterilized canine heart valves, 389  
 Training, influence on myocardial response of rats subjected to conditions of ischaemia and hypoxia, 359  
 — See also Exercise  
 Tritiated water deposition, effect of nitroglycerin with and without systemic hypotension, dog, 182

## U

- Ultrasonic time-position scans, accuracy of cardiac function indices derived from, 65

- Uterine artery, innervation and responses to vasoactive drugs, monkey, 482

## V

- Valves, heart, antibiotic sterilized, tissue culture, protein and collagen synthesis, dogs, 389  
 — prepared for grafting, viability, man, 394  
 — insufficiency analyser, use to evaluate pulmonary valve incompetence, 37  
 Vascular reactivity, angiotensin and salt, 232  
 Vasoactive drugs, innervation and responses of extrinsic uterine artery, monkey, 482  
 Vasoconstriction, moderate, causing reduction of pulsatile hydraulic power in pulmonary circulation, 503  
 — renal, in naturally elicited fear and its habituation, baboons, 295  
 Velocity measurements, coronary artery, hot-film anemometer system, horses, 301  
 Ventricle, left, volume, evaluation of single plane angiography, intact dog, 283  
 — right, hypertrophy and hypertensive pulmonary vascular disease in rats treated with monocrotaline, effects of phenobarbitone, cinnarizine, and zoxazolamine on development, 200  
 Ventricular fibrillation, cyclic AMP as determinant of vulnerability to, isolated rat heart, 697  
 — threshold, time course after acute and slow coronary occlusion, dogs, 466  
 — function, augmented right, in hypertension-induced hypertrophy, 124  
 — performance and coronary blood flow, influence of atrial contraction in conscious dog with myocardial infarction, 109  
 — septal defects, pulmonary blood flow, contrasting profiles, children, 1  
 Verapamil, cardiovascular action, particular reference to myocardial contractility and atrioventricular conduction, dog, 623  
 — physiological disposition, man, 605  
 — protective effect on hypoxic heart muscle, 650

## W

- Work, muscular, and release of prostaglandin-like substances, 413

## Z

- Zoxazolamine, effect on hypertensive pulmonary vascular disease, rats, 200